

() RENEWAL ULSTER COUNTY DEPARTMENT OF HEALTH
 ENVIRONMENTAL HEALTH SERVICES
 239 GOLDEN HILL LANE
 KINGSTON, NY 12401

() FORMERLY:

PERMIT TO CONSTRUCT A WASTE DISPOSAL SYSTEM

THIS PERMIT IS ISSUED UNDER THE PROVISIONS OF ARTICLE VI, SECTION 6.4.0 OF THE ULSTER COUNTY SANITARY CODE. **PERMITS ARE NON-TRANSFERABLE.**

This Permit is Valid for a *Two Year* Period – Date of Issuance: 02/22/2024

1. APPLICANT

Maria Infuso Lot #1

2. ADDRESS OF APPLICANT

191 Bay 13th Street
Brooklyn, NY 11214

3. LOCATION OF PROJECT

Hurds Road

4. TOWNSHIP

Lloyd

5. TYPE OF OWNERSHIP

Single Family - 4 bedroom

6. TAX IDENTIFICATION NUMBER

94.2-1-4.152

DESCRIPTION OF WORKS

INSTALLATION OF: System Type: In-Ground

Minimum separation of the absorption field 100 feet from well, (150 feet if seepage pit), 100 feet from a stream or water course, and 10 feet from the property line.

All systems shall be designed / constructed in conformance with all applicable rules and regulations. (Appendix 75-A “Wastewater Treatment Standards – Individual Household Systems”, latest revision and / or DEC Design Standards for Wastewater Treatment Works, latest revision.)

Well log to be submitted prior to final approval.

Well construction to be in accordance with Appendix 5-B, Standards for Water Wells, November 23, 2005.

The sewage system must be installed in accordance with the plans submitted by Hudson Land Design Professional Engineering, PC and approved / accepted by this department on 02/22/2024.

A New York State Licensed P.E., Architect, or Exempt Land Surveyor must certify that the sewage system has been installed in accordance with the approved / accepted plan.

22-445

Terence R. ... PE

Carol M. Smith, MD, MPH
Commissioner of Health.

2014

cc: NYC WATERSHED - () Ashokan, () Delaware, () Rondout/Neversink
FULLY DELEGATED () JOINT REVIEW AND APPROVAL ()

Carol M. Smith, MD, MPH
2/22/24

By applying for this permit the applicant accepts and agrees to abide and conform with the following:

1. THAT the facilities shall be fully constructed and completed in compliance with the engineering report, plans and specifications as approved.
2. THAT the construction permit shall be maintained on file by the permittee.
3. COMPLIANCE with City, Village or Township ordinances and/or regulations.
4. THAT the permit is revocable or subject to modification or change pursuant to Article XIII, Section 1 of the Ulster County Sanitary Code.
5. THAT the construction of the facilities shall be under the supervision of a person or firm qualified to practice professional engineering in the State of New York under the Education Law of the State of New York, whenever engineering services are required by such law for such purposes.
6. THAT all facilities are under the supervision of a professional engineer he shall certify to the Department and to the permittee that the constructed facilities have been under his supervision and that the works have been fully completed in accordance with the approved engineering reports, plans, specifications and permit.
7. THAT the sewage disposal system be inspected by a member of the Ulster County Department of Health prior to back-filling.
8. THAT the facilities shall not be placed in operation until construction has been completed and an operation permit has been issued, or unless ordered to be operated by the Commissioner or by a Court.

() RENEWAL

ULSTER COUNTY DEPARTMENT OF HEALTH
ENVIRONMENTAL HEALTH SERVICES
239 GOLDEN HILL LANE
KINGSTON, NY 12401

() FORMERLY:

PERMIT TO CONSTRUCT A WASTE DISPOSAL SYSTEM

THIS PERMIT IS ISSUED UNDER THE PROVISIONS OF ARTICLE VI, SECTION 6.4.0 OF THE ULSTER COUNTY SANITARY CODE. **PERMITS ARE NON-TRANSFERABLE.**

This Permit is Valid for a *Two Year* Period – Date of Issuance: 02/22/2024

1. APPLICANT

Maria Infuso Lot #2

2. ADDRESS OF APPLICANT

191 Bay 13th Street
Brooklyn, NY 11214

3. LOCATION OF PROJECT

Hurds Road

4. TOWNSHIP

Lloyd

5. TYPE OF OWNERSHIP

Single Family - 4 bedroom

6. TAX IDENTIFICATION NUMBER

94.2-1-4.152

DESCRIPTION OF WORKS

INSTALLATION OF: System Type: In-Ground

Minimum separation of the absorption field 100 feet from well, (150 feet if seepage pit), 100 feet from a stream or water course, and 10 feet from the property line.

All systems shall be designed / constructed in conformance with all applicable rules and regulations. (Appendix 75-A "Wastewater Treatment Standards – Individual Household Systems", latest revision and / or DEC Design Standards for Wastewater Treatment Works, latest revision.)

Well log to be submitted prior to final approval.

Well construction to be in accordance with Appendix 5-B, Standards for Water Wells, November 23, 2005.

The sewage system must be installed in accordance with the plans submitted by Hudson Land Design Professional Engineering, PC and approved / accepted by this department on 02/22/2024.

A New York State Licensed P.E., Architect, or Exempt Land Surveyor must certify that the sewage system has been installed in accordance with the approved / accepted plan.

23-377

T. Smith, PE

Carol M. Smith, MD, MPH
Commissioner of Health.

2014

cc: NYC WATERSHED - () Ashokan, () Delaware, () Rondout/Neversink

Carol M. Smith, MD, MPH 2/22/24

FULLY DELEGATED ()

JOINT REVIEW AND APPROVAL ()

By applying for this permit the applicant accepts and agrees to abide and conform with the following:

1. THAT the facilities shall be fully constructed and completed in compliance with the engineering report, plans and specifications as approved.
2. THAT the construction permit shall be maintained on file by the permittee.
3. COMPLIANCE with City, Village or Township ordinances and/or regulations.
4. THAT the permit is revocable or subject to modification or change pursuant to Article XIII, Section 1 of the Ulster County Sanitary Code.
5. THAT the construction of the facilities shall be under the supervision of a person or firm qualified to practice professional engineering in the State of New York under the Education Law of the State of New York, whenever engineering services are required by such law for such purposes.
6. THAT all facilities are under the supervision of a professional engineer he shall certify to the Department and to the permittee that the constructed facilities have been under his supervision and that the works have been fully completed in accordance with the approved engineering reports, plans, specifications and permit.
7. THAT the sewage disposal system be inspected by a member of the Ulster County Department of Health prior to back-filling.
8. THAT the facilities shall not be placed in operation until construction has been completed and an operation permit has been issued, or unless ordered to be operated by the Commissioner or by a Court.