

() RENEWAL

ULSTER COUNTY DEPARTMENT OF HEALTH
ENVIRONMENTAL HEALTH SERVICES
239 GOLDEN HILL LANE
KINGSTON, NY 12401

() FORMERLY:

PERMIT TO CONSTRUCT A WASTE DISPOSAL SYSTEM

THIS PERMIT IS ISSUED UNDER THE PROVISIONS OF ARTICLE VI, SECTION 6.4.0 OF THE
ULSTER COUNTY SANITARY CODE. **PERMITS ARE NON-TRANSFERABLE.**

This Permit is Valid for a *Two Year* Period – Date of Issuance: 04/08/2025

- | | |
|--|--|
| 1. <u>APPLICANT</u>
Diego Gagliano / Maria Infuso | 2. <u>ADDRESS OF APPLICANT</u>
154-16 21st Avenue
Whitestone, NY 11357 |
| 3. <u>LOCATION OF PROJECT</u>
Hurds Road, Lot #3 | 4. <u>TOWNSHIP</u>
Lloyd |
| 5. <u>TYPE OF OWNERSHIP</u>
Single Family - 4 bedroom | 6. <u>TAX IDENTIFICATION NUMBER</u>
94.2-1-4.152 |

DESCRIPTION OF WORKS

INSTALLATION OF: System Type: In-Ground

Minimum separation of the absorption field 100 feet from well, (150 feet if seepage pit), 100 feet from a stream or water course, and 10 feet from the property line.

All systems shall be designed / constructed in conformance with all applicable rules and regulations. (Appendix 75-A "Wastewater Treatment Standards – Individual Household Systems", latest revision and / or DEC Design Standards for Wastewater Treatment Works, latest revision.)

Well log to be submitted prior to final approval.

Well construction to be in accordance with Appendix 5-B, Standards for Water Wells, November 23, 2005.

The sewage system must be installed in accordance with the plans submitted by Hudson Land Design Professional Engineering, PC and approved / accepted by this department on 04/08/2025.

A New York State Licensed P.E., Architect, or Exempt Land Surveyor must certify that the sewage system been installed in accordance with the approved / accepted plan.

24-347

MM

2014

Trinity Rose, P.E.

[Signature]
4/8/25

cc: NYC WATERSHED - () Ashokan, () Delaware, () Rondout/Neversink

FULLY DELEGATED ()

JOINT REVIEW AND APPROVAL ()